WAAS	APP CRS		
CH **82033**	**223°**	Rwy Idg	**3895**
W22A		TDZE	**1003**
		Apt Elev	**1008**

RNAV (GPS) RWY 22

PORT BUCYRUS/CRAWFORD COUNTY (17G)

RNP APCH.

Circling NA to Rwys 9 and 27. Rwy 22 helicopter visibility reduction below 1 SM NA. Straight-in and Circling Rwy 22 NA at night. When local altimeter setting not received, use Mansfield altimeter setting: increase all MDA 100 feet and visibility Cat C ⅜ SM.

MISSED APPROACH: Climb to 3000 direct LIANG and hold.

AWOS-3	CLEVELAND APP CON ★	UNICOM
126.625	**124.2 360.65**	**122.8** (CTAF) L



CATEGORY	A	B	C	D
LP MDA	1380-1 377 (400-1)			NA
LNAV MDA	1500-1 497 (500-1)		1500-1⅜ 497 (500-1⅜)	NA
C CIRCLING	1500-1 492 (500-1)	1540-1 532 (600-1)	1700-2 692 (700-2)	NA

REIL Rwys 4 and 22 L
MIRL Rwys 4-22 L

EC-2, 22 FEB 2024 to 21 MAR 2024
EC-2, 22 FEB 2024 to 21 MAR 2024

RNAV (GPS) RWY 4

PORT BUCYRUS/CRAWFORD COUNTY (17G)

APP CRS	Rwy Idg	3619
043°	TDZE	1003
	Apt Elev	1008

RNP APCH - GPS.

Circling NA to Rwys 9 and 27. Circling Rwy 22 NA at night. Rwy 4 helicopter visibility reduction below ¾ SM NA. VDP NA with Mansfield altimeter setting. When local altimeter setting not received, use Mansfield altimeter setting: increase all MDA 100 feet and visibility Cat C ⅜ SM.

MISSED APPROACH: Climb to 3000 direct VIZXO and hold.

AWOS-3	CLEVELAND APP CON ★	UNICOM
126.625	124.2 360.65	122.8 (CTAF) L





CATEGORY	A	B	C	D
LNAV MDA	1380-1 377 (400-1)			NA
C CIRCLING	1500-1 492 (500-1)	1540-1 532 (600-1)	1700-2 692 (700-2)	NA



EC-2, 22 FEB 2024 to 21 MAR 2024
EC-2, 22 FEB 2024 to 21 MAR 2024

VOR BUD	APP CRS	Rwy Idg	3895
109.8	208°	TDZE	1003
		Apt Elev	1008

VOR RWY 22

PORT BUCYRUS/CRAWFORD COUNTY (17G)

T
NA

Circling NA to Rwys 9 and 27. Rwy 22 helicopter visibility reduction below 1 SM NA. Straight-in and Circling Rwy 22 NA at night. When local altimeter setting not received, use Mansfield altimeter setting: increase all MDA 100 feet and visibility Cats B and C ½ SM.

MISSED APPROACH: Climbing right turn to 2600 on heading 090°and on BUD VOR R-028 to SONDE INT and hold.

AWOS-3	CLEVELAND APP CON ★	UNICOM
126.625	124.2 360.65	122.8 (CTAF) L



RADAR REQUIRED



MIRL Rwy 4-22 L
REIL Rwys 4 and 22 L

FAF to MAP 4.5 NM					
Knots	60	90	120	150	180
Min:Sec	4:30	3:00	2:15	1:48	1:30

2600 hdg 090°	BUD R-028	SONDE INT

VGSI and descent angles not coincident (VGSI Angle 3.00/TCH 26).



CATEGORY	A	B	C	D
S-22	1700-1	697 (700-1)	1700-2 697 (700-2)	NA
C CIRCLING	1700-1	692 (700-1)	1700-2 692 (700-2)	NA

EC-2, 22 FEB 2024 to 21 MAR 2024
EC-2, 22 FEB 2024 to 21 MAR 2024