

⚠

⚠

MISSED APPROACH: Climbing right turn to 1800 in HOE NDB holding pattern.

AWOS-3

118.725


VALDOSTA APP CON★

126.6


285.6

CTAF


122.9 0



Remain within 10 NM 1800 318° 138° 820 MUZLR INT 2.92° TCH 40 2.5 NM HOE NDB 1800 HOE				
CATEGORY	A	B	C	D
S-14	820-1	633 (700-1)	820-1¾	633 (700-1¾)
CIRCLING	820-1	633 (700-1)	940-2¼ 753 (800-2¼)	940-2½ 753 (800-2½)
MUZLR FIX MINIMUMS				
S-14	620-1	433 (500-1)	620-1¼	433 (500-1¼)
CIRCLING	680-1 493 (500-1)	740-1 553 (600-1)	940-2¼ 753 (800-2¼)	940-2½ 753 (800-2½)



RNP APCH.		MISSED APPROACH: Climb to 2000 direct ZUGSU and hold.	
For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -15°C or above 54°C.			
AWOS-3 118.725	VALDOSTA APP CON★ 126.6 285.6	CTAF 122.9 0	



4 NM Holding Pattern

6000

2000

← 321°

← 141°

GP 3.00°

TCH 40

DEXBU

EDUVE

LADAW

2000

1.7 NM to RW14

*1.1 NM to RW14

RW14

6.5 NM

3.9 NM

0.6 NM

1.1

2000

ZUGSU

*LNAV only.

141° to RW14

4999 X 75

32

CATEGORY	A	B	C	D
LPV DA	437-1		250 (300-1)	
LNAV/ VNAV DA	461-1		274 (300-1)	
LNAV MDA	560-1		373 (400-1)	
CIRCLING	680-1 493 (500-1)	740-1 553 (600-1)	940-2¼ 753 (800-2¼)	940-2½ 753 (800-2½)

ELEV 187

TDZE 187

4999 X 75

32

MIRL Rwy 14-32



1

WAAS CH 61318 W32A	APP CRS 321°	Rwy Idg TDZE 186 Apt Elev 187
--	------------------------	---

RNAV (GPS) RWY 32
HOMERVILLE (HOE)

RNP APCH. ▼ Rwy 32 helicopter visibility reduction below ¾ SM NA. ▲ For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -15°C or above 54°C.	MISSED APPROACH: Climb to 2000 direct DEXBU and hold.
--	---

AWOS-3 118.725	VALDOSTA APP CON ★ 126.6 285.6	CTAF 122.9 0
--------------------------	--	------------------------



2000	DEXBU	VGSI and RNAV glidepath not coincident (VGSI Angle 3.00/TCH 40).			
*LNAV only.		SOSRE	ZUGSU	4 NM Holding Pattern	
		*1.4 NM to RW32		141° → 6000	← 321° 2000
		1.4 NM	4.1 NM	6.6 NM	GP 3.00° TCH 60
CATEGORY	A	B	C	D	
LPV DA	491-1 305 (400-1)				
LNAV/VNAV DA	672-1⅜ 486 (500-1⅜)				
LNAV MDA	680-1	494 (500-1)	680-1⅜	494 (500-1⅜)	
CIRCLING	680-1 493 (500-1)	740-1 553 (600-1)	940-2¼ 753 (800-2¼)	940-2½ 753 (800-2½)	

SE-4, 22 FEB 2024 to 21 MAR 2024

SE-4, 22 FEB 2024 to 21 MAR 2024

HOMERVILLE, GEORGIA

AL-6149 (FAA)





20254

VORTAC AYS 110.2 Chan 39	APP CRS 222°	Rwy Idg TDZE Apt Elev	N/A N/A 187
--	------------------------	-----------------------------	--

VOR/DME-A
HOMERVILLE (HOE)

T A	When local altimeter setting not received, use Waycross altimeter setting and increase all MDA 60 feet, and Circling Cat C/D visibility ¼ mile.	MISSED APPROACH: Climbing right turn to 2300 on heading 071° and AYS VORTAC R-222 to AYS VORTAC and hold.
------------------------------	--	---

AWOS-3 118.725	VALDOSTA APP CON ★ 126.6 285.6	CTAF 122.9 0
--------------------------	--	------------------------



HOMERVILLE, GEORGIA

Amdt 5 25JUN15

31°03'N-82°46'W

HOMERVILLE (HOE)
VOR/DME-A

SE-4, 22 FEB 2024 to 21 MAR 2024

SE-4, 22 FEB 2024 to 21 MAR 2024