


ILS or LOC Rwy 33

LOC H-5F 110.7	APCH CRS 327°	Rwy Idg TDLE 226 Appt Elev 227	9302	[USA]	LAWSON AAF (KLSF)
▼ * Circling not authorized E of Rwy 15-33. NA when tower closed.				SALSF A2 TFF	MISSED APPROACH: Climb to 1000 then climbing left turn to 2400 via EUF R-006 to OMAHO INT/EUF 12.4 DME and hold.
ATIS ★ 134.375	ATLANTA APP CON 125.5 323.1			TOWER	GND CON
				119.05 (CTAF) 269.525	121.7 254.25
					121.7 251.15



1000	2400	OMAHA	RENO	ELEV	227	TDZE	226
↑	EUR R-006	EUR [12.4]	JAMPER [5.2] OM	Rwy 33 Hdg 930Z ☆ 380	☆	☆	
				GEFR [11.1] EUR R-042 EUR R-057 327° 3000 1454 1700 GS 3.00° TCH 54 37° 33'			
CATEGORY	A		B		C		D
SLS 33	426/24	200 (200-1/2)	426/40	200 (200-3/4)			
S-LOC 33	640/40	414 (500-3/4)	640/50	414 (500-1)			
CIRCLING *	820-1	593 (600-1)	840-1 3/4	880-2			
			613 (700-1 3/4)	653 (700-2)			

FAF to MAP 4.4 NM			
Knots	60	90	120
Min:Sec	4:24	2:56	2:12

HIRL Rwy 15-33			
327°			

FORT MOORE, GEORGIA
Orig B 22FEB24

32°20'N-85°00'W

LAWSON AAF (KLSF)

ILS or LOC Rwy 33

[USA]

LAWSON AAF (KLSF)


WAAS CH 41028	APCH CRS 150°	Rwy Idg 10,002 TDZE 226 Apt Elev 227
-------------------------	-------------------------	---

T *Circling not authorized NE of Rwy 15-33.

NA when tower closed.
For uncompensated Baro-VNAV systems, LNAV/VNAV below -1.5°C or above 5.4°C

MISSED APPROACH: Climb to 900 then climbing right turn to 2200 direct JEDOM and hold.

ATIS ★	ATLANTA APP CON	TOWER	GND CON	CINC DEL
134.375	125.5 323.1	119.05 (CTAF) 269.525	121.7 254.25	121.7 251.15



OPROE GOPDE JEDOM 900 cfs 150° PIMDE 1.7 NM to RW15 RW15 1080 3.3 NM 2.4 NM GP 3.19° TCH 55					ELEV	227	TIDE	226
CATEGORY	A	B	C	D				
LTV DA	494-78		267	(300-78)				
UNAV/DA UNAV	820-1¾		593	(600-1¾)				
UNAV MDA	820-1	593 (600-1)	820-1¾	593 (600-1¾)				
CIRCLING	820-1	860-1	960-2	1080-2¾				
	593 (600-1)	633 (700-1)	733 (800-2)	853 (900-2¾)				

HRL Rwy 15-33

150°

51.1

1002+150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

150

1002

FORT MOORE, GEORGIA

32° 20' N-85° 00' W

LAWSON AAF (KLSF)

Amdt 1 28DEC23

RNAV (GPS) RWY 15

RNAV (GPS) RWY 33

WAAS CH 67545	APCH CRS 330°	Rwy Idg TDZE Arpt Elev	9302 226 227
------------------	------------------	------------------------------	--------------------

[USA]

RNP APCH-GPS

T * When ALS inop, increase vis to 1 3/8 mile.


****** When ALS inop, increase CAT AB RVR to 55, vis to 1 mile; CAT CD vis to $1\frac{3}{8}$ miles.

1 3/8 miles.
*** C. I.

*** Circling not authorized NE of Rwy 15-33. Not authorized when tower closed

ATTIS ★	ATLANTA APP CON	TOWER	GND CON	CLINC DEL
134.375	125.5 323.1	119.05 (CTAF) 269.525	121.7 254.25	121.7 251.15

For uncompensated Baro-VNAV systems, LNAV/VNAV below -1.5°C or above 54°C.



800 CRS 330°	3000	RENFO		
		GETRR		
RW33 1.4 NM to RW33		ROTME		
A B C D		2500		
CATEGORY	A	B	C	D
LTV DA	427/40	200	(200-¾)	
UNAV/DA* UNAV/DA*	701/60	474	(500-1½)	
UNAV MDA**	740/40	513 (600-¾)	740-1¼ 513 (600-1¼)	
*** CIRCLING	820-1 593 (600-1)	860-1 633 (700-1)	960-2 733 (800-2)	1080-2¾ 853 (900-2¾)

HRL Rwy 15-33

ELEV 227 TDZE 226

Rwy 33 ldg 9302'

SAWES (IAF)

TWR 330
319
370
380

10022.150

330°

FORT MOORE, GEORGIA

32° 20' N-85° 00' W

LAWSON AAF

(KLSF)

Amdt 1 28DEC23


RNAV (GPS) RWY 33

VOR/DME RWY 15

VOR/DME LSF 111.4 Chon 51	APCH CRS 158°	Rwy Idg TDZE Aptl Elev 10,002 226 227	[USA]	LAWSON AAF (KLSF)
▼ * Circling not authorized E of Rwy 1-5-33.			MISSED APPROACH: Climbing right turn to 2400 w/c heading 240° and EUF VORTAC R-006 to OMAHO INT/EUF 12.4 DME and hold.	
ATIS ★ 134.375	ATLANTA APP CON 125.5 323.1	TOWER 119.05 (CTAF) 269.525	GND CON 121.7 254.25	CINC DEL 121.7 251.15

*Circling not authorized E of Rwy 15-33.

MISSED APPROACH: Climbing right turn to 2400 via heading 240 and EUF VORTAC R-006 to OMAHO INT/EUF 12.4 DME and hold



One Minute Holding Pattern PHENS angles not coincident.				2400' holding 240° R-006		2400' holding 240° R-006		ELEV 227		IDZE 226	
NAFOR CIDIV VOR/DME						Rwy 33 ldg 930Z		Rwy 33 ldg 930Z			
158° 338°						Rwy 33 ldg 930Z		Rwy 33 ldg 930Z			
3.00° 158°						Rwy 33 ldg 930Z		Rwy 33 ldg 930Z			
3.00° 158°						Rwy 33 ldg 930Z		Rwy 33 ldg 930Z			
3.00° 158°						Rwy 33 ldg 930Z		Rwy 33 ldg 930Z			
3.00° 158°						Rwy 33 ldg 930Z		Rwy 33 ldg 930Z			
3.00° 158°						Rwy 33 ldg 930Z		Rwy 33 ldg 930Z			
3.00° 158°						Rwy 33 ldg 930Z		Rwy 33 ldg 930Z			
3.00° 158°						Rwy 33 ldg 930Z		Rwy 33 ldg 930Z			
3.00° 158°						Rwy 33 ldg 930Z		Rwy 33 ldg 930Z			
3.00° 158°						Rwy 33 ldg 930Z		Rwy 33 ldg 930Z			
3.00° 158°						Rwy 33 ldg 930Z		Rwy 33 ldg 930Z			
3.00° 158°						Rwy 33 ldg 930Z		Rwy 33 ldg 930Z			
3.00° 158°						Rwy 33 ldg 930Z		Rwy 33 ldg 930Z			
3.00° 158°						Rwy 33 ldg 930Z		Rwy 33 ldg 930Z			
3.00° 158°						Rwy 33 ldg 930Z		Rwy 33 ldg 930Z			
3.00° 158°						Rwy 33 ldg 930Z		Rwy 33 ldg 930Z			
3.00° 158°						Rwy 33 ldg 930Z		Rwy 33 ldg 930Z			
3.00° 158°						Rwy 33 ldg 930Z		Rwy 33 ldg 930Z			
3.00° 158°						Rwy 33 ldg 930Z		Rwy 33 ldg 930Z			
3.00° 158°						Rwy 33 ldg 930Z		Rwy 33 ldg 930Z			
3.00° 158°						Rwy 33 ldg 930Z		Rwy 33 ldg 930Z			
3.00° 158°						Rwy 33 ldg 930Z		Rwy 33 ldg 930Z			
3.00° 158°						Rwy 33 ldg 930Z		Rwy 33 ldg 930Z			
3.00° 158°						Rwy 33 ldg 930Z		Rwy 33 ldg 930Z			
3.00° 158°						Rwy 33 ldg 930Z		Rwy 33 ldg 930Z			
3.00° 158°						Rwy 33 ldg 930Z		Rwy 33 ldg 930Z			
3.00° 158°						Rwy 33 ldg 930Z		Rwy 33 ldg 930Z			
3.00° 158°						Rwy 33 ldg 930Z		Rwy 33 ldg 930Z			
3.00° 158°						Rwy 33 ldg 930Z		Rwy 33 ldg 930Z			
3.00° 158°						Rwy 33 ldg 930Z		Rwy 33 ldg 930Z			
3.00° 158°						Rwy 33 ldg 930Z		Rwy 33 ldg 930Z			
3.00° 158°						Rwy 33 ldg 930Z		Rwy 33 ldg 930Z			
3.00° 158°						Rwy 33 ldg 930Z		Rwy 33 ldg 930Z			
3.00° 158°						Rwy 33 ldg 930Z		Rwy 33 ldg 930Z			
3.00° 158°						Rwy 33 ldg 930Z		Rwy 33 ldg 930Z			
3.00° 158°						Rwy 33 ldg 930Z		Rwy 33 ldg 930Z			
3.00° 158°						Rwy 33 ldg 930Z		Rwy 33 ldg 930Z			
3.00° 158°						Rwy 33 ldg 930Z		Rwy 33 ldg 930Z			
3.00° 158°						Rwy 33 ldg 930Z		Rwy 33 ldg 930Z			
3.00° 158°						Rwy 33 ldg 930Z		Rwy 33 ldg 930Z			
3.00° 158°						Rwy 33 ldg 930Z		Rwy 33 ldg 930Z			
3.00° 158°						Rwy 33 ldg 930Z		Rwy 33 ldg 930Z			
3.00° 158°						Rwy 33 ldg 930Z		Rwy 33 ldg 930Z			
3.00° 158°						Rwy 33 ldg 930Z		Rwy 33 ldg 930Z			
3.00° 158°						Rwy 33 ldg 930Z		Rwy 33 ld			

FORT MOORE, GEORGIA
Amdt 9B 25JAN24

32°20'N-85°00'W

LAWSON AAF (KLSF)

VOR/DME RWY 15