

HI-ILS or LOC Z RWY 18L

When ALS inop, increase RVR to 40 and vis to $\frac{3}{4}$ mile.
**** When ALS inop, increase vis to 1 $\frac{3}{8}$ miles.**

MISSSED APPROACH: Climb to 3000 on VAD TACAN R-183 to EQUIP and hold.


463

VAD $\begin{matrix} \text{21} \\ \text{265K} \\ \text{184}^\circ \end{matrix}$ R-004 $\rightarrow$

(IAF)
RANDA
VAD $\begin{matrix} \text{6} \\ \text{29.4} \end{matrix}$

6330 $\begin{matrix} \text{004} \\ \text{17.4} \end{matrix}$

The drawing shows a side view of a mechanical part. On the left, there is a vertical dimension line labeled 6330. To its right is a horizontal dimension line labeled 004. Further right is a vertical dimension line labeled 17.4. Below these is a horizontal dimension line labeled 29.4. To the right of 29.4 is a vertical dimension line labeled 184 degrees. The part has a circular cross-section on the right. Inside the circle, there is a dashed line representing a hidden feature. Labels include VAD at the top, (IAF) and RANDA in the middle, and VAD at the bottom. The label R-004 is to the right of the part.



3000	EQUIP VAD R-183	VGSI and descent angles not coincident (VGSI angle 3.00/TCH 41).	RANDA R-004 VAD 16
CATEGORY	C	D	E
S-SLS 18L**	433/24	200 (200-½)	
S-LOC 18L**	680/45	447 (500-7/8)	
CIRCLING	760-1½ 527 (600-½)	800-2 567 (600-2)	

HIRT all rwy's					
FAF to MAP 4.3 NM					
Knots	120	140	160	180	200
Min./Sec	2:09	1:51	1:37	1:26	1:17

248	411	8002 x 150	9300 x 150	0.3% DOWN	TWR
A	411	8002 x 150	9300 x 150	0.3% DOWN	TWR
A4	361	36R	A1		

VALDOSTA, GEORGIA	30° 58' N-83° 12' W	MOODY AFB (KVAD)
-------------------	---------------------	------------------

HI-ILS or LOC Z RWY 18L

VALDOSTA, GEORGIA

LOC I-MDG 109.9	APCH CRS 003°	Req'd Idg TDZE Appt Elev 233
---------------------------	-------------------------	---



[USAF]

MOODY AFB (KVAD)


▼ * When ALS inop, increase RVR to 40 and vis to ¾ mile.
** When ALS inop, increase vis to 1 ½ miles.

ALSF-1
MISSED APPROACH: Climb to 3000 on VAD TACAN
R-004 to RANDA and hold.


ATIS ★ 273.5	VALDOSTA APP CON 126.6 285.6	TOWER ★ 128.45 [CTAF] 257.625	GND CON 138.95 275.8	CINC DEL 120.625 296.7
------------------------	--	--	--------------------------------	----------------------------------




CAUTION: Remain west of VAD R-028 and VAD R-161 when R-3008 is active.



EMERG SAFE ALT 100 NM 3300



CATEGORY	C	D	E
S-ILS 36R *	4177/24	200	[200-½]
S-LOC 36R **	660/45	443	[500-¾]
CIRCLING	760-1½ 527 (600-1½)	800-2 567 (600-2)	



VALDOSTA, GEORGIA 30° 58' N-83° 12' W

Arrch 6 25JAN24

HI-ILS or LOC Z Rwy 36R

MOODY AFB (KVAD)

VALDOSTA, GEORGIA

HI-TACAN Z RWY 18L

TACAN VAD Chen 80	APCH CRS 187°	Rwy Idg TDZE Arpt Elev 233
----------------------	------------------	----------------------------------

[USAF]

MOODY AFB (KVAD)


*When ALIS loop, increase vis to 1 3/8 miles.




MISSED APPROACH: Climb to 3000 on VAD TACAN
R-173 to CARLO and hold.

ATIS ★ 273.5	VALDOSTA APP CON 126.6 285.6	TOWER ★ 128.45 (CTAF) 257.625	GND CON 138.95 275.8	CINC DEL 120.625 296.7
-----------------	---------------------------------	----------------------------------	-------------------------	---------------------------

463°




CAUTION: Remain west
of VAD R-028 and VAD
R-161 when R-3008 is
active.




EMERG SAFE ALT 100 NM 3300

3000 VAD R-173	CARLO VAD 13
----------------------	--------------------



CATEGORY	C	D	E
S-18L *	700/50	467 (500-1)	
CIRCLING	760-1 1/2 527 (600-1 1/2)	800-2	567 (600-2)



VALDOSTA, GEORGIA

308° 58' N-83° 12' W

Amdt 6 25JAN24

HI-TACAN Z RWY 18L

HI-TACAN Z RWY 18R

USAF]

MOODY AFB (KVAD)


MALSR

A5

— — — — —
| | | | |
— — — — —

MISSED APPROACH: Climb to 3000 on VAD TACAN R-190 to WEEMS and hold.

ATIS ★ 273.5	VALDOSTA APP CON 126.6 285.6	TOWER★ 128.45 (CTAF) 257.625	GND CON 138.95 275.8	CINC DEL 120.625 296.7
-----------------	---------------------------------	---------------------------------	-------------------------	---------------------------

[illegible]

VALDOSTA, GEOF
Amdt 6 25JAN24

VALDOSTA, GEORGIA


30° 58' N-83° 12' W

HI-TACAN Z RWY 18R

MOODY AFB (KVAD)

TACAN VAD Chon 80	APCH CRS 010°	Rwy Idg TDZE Appt Elev	8002 225 233
[USAF]			
MOODY AFB (KVAD)			

✦ When ALS inop, increase vis to 1½ miles.	MAIS A4	MISSED APPROACH: Climb to 3000 on VAD TACAN R-360 to ENDOW and hold.	
ATIS ★ 273.5	VALDOSTA APP CON 126.6 285.6	TOWER ★ 128.45 (CTAF) 257.625	GND CON 138.95 275.8
		CINC DEL 120.625 296.7	



EMERG SAFE ALT 100 NM 3300		ELEV 233	TDZE 225
WEEMS R-190 7000 3000 1800 1120 ARIGE 5 JEBON 29 BEEDE 07 TACAN 3000 VAD R-360 ENDOW VAD 16		411 8002 x 150 9300 x 150 0.3% UP TWR 181 36L 36R 411 36L 36R	
CATEGORY	C	D	E
S-36L *	760-1½	660/50 435 (500-1)	800-2 567 (600-2)
CIRCLING	527 (600-1½)		


HI-TACAN Z RWY 36R

[USAF]

MOODY AFB (KVAD)


ALS-F-1 MISSED APPROACH: Climb to 3000 on VAD TACAN R-007 to BELLE and hold.		ATIS * 273.5	
VALDOSTA APP CON 126.6 285.6		TOWER* 128.45 (CTAF) 257.625	
GND CON 138.95 275.8		CINC DEL 120.625 296.7	

* When ALS inop, increase vis to 1 3/8 miles.



CAUTION: Remain west of VAD R-028 and VAD R-161 when R-3008 is active.

EMERG SAFE ALT 100 NM 3300

[illegible]

VALDOSTA, GEORGIA

30° 58' N-83° 12' W

MOODY AFB (KVAD)


Amdt 6 25JAN24

HI-TACAN Z RWY 36R

LOC I-VAD <u>109.3</u>	APCH CRS 183°	Rwy Idg TDZE Arpt Elev	9300 233 233
---------------------------	-------------------------	------------------------------	---

MOODY AFB (KVAD)

RADAR or DME required		ALS-F-1		MISSED APPROACH: Climb to 3000 on VAD TACAN R-183 to EQUIP and hold	
▼ When A1S inop, increase RVR to 40 and vis to $\frac{3}{4}$ mile. ** When A1S inop, increase CAT AB RVR to 55 and vis to 1 mile, CAT CDE vis to $\frac{1}{2}$ miles.					
A1S ★	VALDOSTA APP CON	TOWER ★	GND CON	CINC DEL	
273.5	126.6 285.6	128.45 (C1A) 257.625	138.95 275.8	120.625 296.7	



CATEGORY	A	B	C	D	E
S-LOC 18L**	680/24	447 (500-1/2)	680/45	447 (500-7/8)	
CIRCLING	760-1	527 (600-1)	760-1 1/2	527 (600-1 1/2)	800-2
	527 (600-1)		800-2	567 (600-2)	

FAF to MAP 4.3 NM

Knobs	60	90	120	150	180
Min:Sec	4:18	2:52	2:09	1:43	1:26

VALDOSTA, GEORGIA

30° 58' N-83° 12' W

MOODY AFB (KVAD)

Amdt 6 25JAN24

ILS or LOC Y Rwy 18L


ILS or LOC Y Rwy 36R

LOC I-MDG <u>109.9</u>	APCH CRS 003°	Rwy Idg TDZE Atpd Elev	9300 217 233	[USAF]	MOODY AFB (KVAD)
---------------------------	-------------------------	------------------------------	---	--------	------------------

▼ * When ALS inop, increase RVR to 40 and vis to $\frac{3}{4}$ mile.
 ** When ALS inop, increase RVR CAT AB to 55 and vis to 1 mile, RVR CAT CDE vis to $1\frac{3}{8}$ miles.

MISSED APPROACH: Climb to 3000 on VAD TACAN R-004 to RANDA and hold.

ATIS ★	VALDOSTA APP CON	TOWER ★	GND CON	CINC DEL
273.5	126.6 285.6	128.45 (CIAF) 257.625	138.95 275.8	120.625 296.7



					3000 VAD R-004
EQUIP VAD R-183					JEMAS VAD 11
WONLA VAD 51					RANDA VAD 16
HUMAG VAD 29					
JAEBE VAD 07					
GS 3,000° TCH 55					
2.2 NM					
2.2 NM					
0.5					
0003°					
1800°					
1100°					
007°					
8002 x 150					
0.3% UP					
411					
TWR					

VALDOSTA, GEORGIA
Amdt 6 25JAN24

30° 58' N-83° 12' W

ILS or LOC Y Rwy 36R

MOODY AFB (KVAD)


APCH CRS	Rwy Idg	9300
183°	TDZE	233
	Arprt Elev	233

- (USAF)

MOODY AFB (KVAD)

RNP APCH-GPS	ALSF-1	MISSED APPROACH: Climb to 3000 direct YUDUR and hold.
▼ * When ALS inop, increase CAT AB RVR to 55 and vis to 1 mile, CAT CDE vis to 1 3/8 miles.		

ATIS ★	VALDOSTA APP CON	TOWER ★	GND CON	CLNC DEL
273.5	126.6 285.6	128.45 (CTAF) 257.625	138.95 275.8	120.625 296.7



EMERG SAFE ALT 100 NM 3300

3000		YUDUR		ELEV 233		183°		TDZE 233	
CATEGORY	A	B	C	D	E				
LNAV MDA*	700/24	467 (500-½)	700/50	467	(500-1)				
CIRCLING	760-1	527 (600-1)	760-1½ 527 (600-1½)	800-2	567 (600-2)				

VALDOSTA, GEORGIA

RNAV (GPS) RWY 18R

APCH CRS 183°	Rwy Idg TDZE Arpt Elev	8002 231 233
------------------	------------------------------	--------------------

- (USAF)

MOODY AFB (KVAD)

RNP APCH-GPS

MAISR

MISSED APPROACH: Climb to 3000 direct JAKAR and hold.

T * When ALS inop, increase CAT AB RVR to 55, vis to 1 mile; CAT CDE vis to 1 3/8 miles.



ATIS★
273.5

VALDOSTA APP CON
126.6 285.6


TOWER ★

128.45 (CTAF) 257.625


GND CON
138.95 275.

CLNC DEL
120.625 296.7

Rwy 18R helicopter
visibility reduction
below RVR 4000
not authorized.




EMERG SAFE ALT 100 NM 3300



CATEGORY	A	B	C	D	E
LNAV MDA*	700/40 469 (500-3/4)		700/50	469	(500-1)
C CIRCLING	760-1 527 (600-1)		760-1½ 527 (600-1½)	800-2 567 (600-2)	

ELEV 233

TDZE 231



VALDOSTA, GEORGIA

30°58'N - 83°12'W

MOODY AFB (KVAD)

Amdt 1 25JAN24

RNAV (GPS) RWY 18R

SE-4, 22 FEB 2024 to 21 MAR 2024


APCH CRS	Rwy Idg	8002
003°	TDZE	225
	Arprt Elev	233

- (USAF)

MOODY AFB (KVAD)

RNP APCH-GPS	MALS (A4)	MISSED APPROACH: Climb to 3000 direct ADAPT and hold.
* When ALS inop, increase CAT AB RVR to 55, vis to 1 mile; CAT CDE vis to 1 1/4 miles.		

ATIS ★ 273.5	VALDOSTA APP CON 126.6 285.6	TOWER ★ 128.45 (CTAF) 257.625	GND CON 138.95 275.8	CLNC DEL 120.625 296.7
-----------------	---------------------------------	----------------------------------	-------------------------	---------------------------



EMERG SAFE ALT 100 NM 3300

JAKAR		3000	ADAPT	ELEV 233	TDZE 225
7000 3000 183° 003°					
ADUNC 1900					
JEMOB 1100					
3.10° TCH 50					
2.4 NM					
2.5 NM					
1.3 NM to RW36L					
RW36L					
CATEGORY	A	B	C	D	E
LNAV MDA*	660/40	435 (500-¾)	660/50	435 (500-1)	
CIRCLING	760-1	527 (600-1)	760-1½ 527 (600-1½)	800-2	567 (600-2)

HIRL all Rwys



APCH CRS	Rwy Idg	9300
003°	TDZE	217
	Arpt Elev	233

- (USAF)

MOODY AFB (KVAD)

RNP APCH-GPS	ALSF-1	MISSED APPROACH: Climb to 3000 direct to JUNAN and hold.
▼ * When ALS inop, increase CAT AB RVR to 55 and vis to 1 mile, CAT CDE vis to 1 3/8 miles.		

ATIS ★	VALDOSTA APP CON	TOWER ★	GND CON	CLNC DEL
273.5	126.6 285.6	128.45 (CTAF) 257.625	138.95 275.8	120.625 296.7



EMERG SAFE ALT 100 NM 3300

--	--	--	--	--

TACAN VAD	APCH CRS	Rwy Idg
Chan 80	187°	233
	TDZE	233
	Appt Elev	233

[USAF]

TACAN Y Rwy 18L

MOODY AFB (KVAD)

▲ * When AIS Inop, increase CAT AB RVR to 55 and vis to 1 mile, CAT CDE vis to 1 3⁄8 miles.


TOWER ★

A1

⏏

MISSED APPROACH: Climb to 3000 on VAD TACAN R-173 to CARLO and hold.

AIS ★	VALDOSTA APP CON	TOWER ★	GND CON	CINC DEL
273.5	126.6 285.6	128.45 [CTAF] 257.625	138.95 275.8	120.625 296.7



ELEV 233	TDZE 233
----------	----------

EMERG SAFE ALT 100 NM 3300


3000

CARLO


VAD

R-173

15



CATEGORY	A	B	C	D	E
S-18L *	700/24 467 (500-1/2)	700/50 467 (500-1)			
CIRCLING	760-1 527 (600-1)	760-1 527 (600-1)	800-2 567 (600-2)		



VALDOSTA, GEORGIA

30°58'N-83°12'W

Amch 6 25JAN24

TACAN Y Rwy 18L

MOODY AFB (KVAD)

CAUTION: Remain west of VAD R-028 and VAD R-161 when R-3008 is active.

[USAF]

MOODY AFB (KVAD)

TACAN VAD Chan 80	APCH CRS 180°	Rwy Idg 8002 TDZE 231 Arpt Elev 233
-----------------------------	-------------------------	--


T * When ALS inop, increase CAT AB RVR to 55 and vis to 1 mile, CAT CDE vis to 1 $\frac{3}{8}$ miles.

MALSR
A5

MISSED APPROACH: Climb to 3000 on VAD
TACAN R-190 to WEEMS and hold.

ATIS *	VALDOSTA APP CON	TOWER *	GND CON	CINIC DEL
273.5	126.6 285.6	128.45 (CTAF) 257.625	138.95 275.8	120.625 296.7

Rwy 18R helicopter
visibility reduction
below RVR 4000
not authorized.



CAUTION: Remain west of VAD R-028 and VAD R-161 when R-3008 is active.

[illegible]

VALDOSTA, GEORGIA

30°58'N-83°12'W

MOODY AFB (KVAD)

Amdt 6 25JAN24

TACAN Y RWY 18R

TACAN Y RWY 36R

TACAN VAD	APCH CRS	Rwy Idg
Chon 80	353°	TDZE 217 Appt Elev 233

[USAF]

MOODY AFB (KVAD)

▼ When ALS inop, increase CAT AB RVR to 55 and vis to 1 mile, CAT CDE vis to 1½ miles.

ALIS ★	VALDOSTA APP CON	TOWER ★	GND CON	CLNC DEL
273.5	126.6 285.6	128.45 (CTAF) 257.625	138.95 275.8	120.625 296.7




ALSF-1
A1

MISSED APPROACH: Climb to 3000 on VAD TACAN R-007 to BELLE and hold.

Rwy 36R helicopter visibility reduction below RVR 4000 not authorized.


1182 .348

VAD 217




EMERG SAFE ALT 100 NM 3300

3000	BELLE VAD
R-007	16



CATEGORY	A	B	C	D	E
S-36R*	680/40	463 (500-¾)	680/50	463 (500-1)	
CIRCLING	760-1	527 (600-1)	760-1½	800-2 567 (600-2)	



CAUTION: Remain west of VAD R-028 and VAD R-161 when R-3008 is active.

VALDOSTA, GEORGIA

30°58'N-83°12'W

Amch 6 22FEB24

MOODY AFB (KVAD)
TACAN Y RWY 36R